

Building Name	Energy Use Intensity (EUI)					Energy Current Date	Site EUI (current)	ENERGY STAR Score (current)	City	Zip Code	Total Floor Space (Sq. Ft.)	Unique Building Identifier	Notes
	2009	2010	2011	2012	2013								
WSP 0000 D1 Naronick Sq/Plaza Campus	81	76				10/31/11	75	100	Tumwater	98501	55,961		WSP 0000 D1 for automated benchmarking
WSP 0000 D2 Bellevue District HQ Campus	117	107				9/30/11	117	3	Bellevue	98007	44,197	A01614, A02292	WSP 0000 D2 for automated benchmarking
WSP 0000 D4 Spokane District HQ Campus						12/31/05	140		Spokane	99224	17,846		WSP 0000 D4 for automated benchmarking
WSP 0000 D4 Spokane East Campus		20				5/31/11	20	98	Spokane	9921206	12,861	A06109, A10987	WSP 0000 D4 for automated benchmarking
WSP 0000 D7 Marysville District HQ Campus	369					12/31/09	369		Marysville	98271	12,112	A04481, A06632	WSP 0000 D7 for automated benchmarking
WSP D1 (Leased) 3000 Building						12/31/05	61	72					
WSP D1 (Leased) ITD 321 Cleveland						12/31/05	46	59					
WSP D1 (Leased) ITD 3310 Capitol Blvd		32				6/30/11	32	72	Tumwater	98501	5,064	A07652	
WSP D1 (Leased) ITD 3312 Capitol Blvd		390				6/30/11	383	100	Tumwater	98501	8,100	A07652	
WSP D1 (Leased) ITD 403 Cleveland (Suite A)						12/31/05	122						
WSP D1 (Leased) ITD 411 Cleveland Plaza	22					9/30/11	19	95	Tumwater	98501	21,600	A06326	This facility became part of the WSP ITD Campus on 04/01/2008.
WSP D1 (Leased) Olympia Aviation	98	75				10/31/11	87		Tumwater	98504	11,080	A10872	
WSP D2 (Leased) FLSB Crime Lab Seattle	238					2/28/10	221		Seattle	98134	58,325	A08187	60.55% of Electric, 26.71% of floor 1 & 4 gas, 100% of floor 2 & 3 gas bill.
WSP D3 Grandview Weigh Station & Detachment Office		131				8/31/11	135		Grandview	98930	2,791	A01280	
WSP D3 Yakima District HQ Building				123		12/31/12	123	6	Union Gap	98903	23,760	A05576	
WSP D4 Cheney Crime Lab	370					4/30/10	387		Cheney	99004	34,765	A02254	
WSP D5 Vancouver Crime Lab	213	194				10/31/11	204		Vancouver	98660	35,356	A07056	
WSP D6 Wenatchee District HQ	6	6				10/31/11	6		Wenatchee	98801	15,691	A03003	Chelan County PUD Account # 9037300000
WSP D8 Bremerton District HQ	80	73				10/31/11	77		Bremerton	98312	12,000	A09977	
WSP D8 State Patrol Academy Dining Hall	109					6/30/10	106		Shelton	98584	6,369		Main electrical meter for the campus is in the Kitchen.
WSP D8 State Patrol Academy Dog Classroom Building	33					12/31/09	33		Shelton	98584	1,440	A05408	The Canine Classroom has it's own Electric meter.
WSP D8 State Patrol Academy Fire Arms Training Building	71	45				7/31/11	51		Shelton	98584	520	A07856	The firing range has it's own electrical meter.
WSP D8 State Patrol Academy Kitchen	120					5/31/10	118		Shelton	98584	5,722	A02368	
WSP D8 State Patrol Academy Maintenance Equipment		1693				7/31/11	1691		Shelton	98584	167	A07670	