

Washington State Patrol							
24-Jun-11							
Total Buildings: 47							
Facility Name	Current Energy Period Ending Date	Current Site Energy Intensity (kBtu/Sq. Ft.)	Total Floor Space (Sq. Ft.)	Current Total Site Energy Use (kBtu)	Current Rating	City	ZIP Code
					(1-100)		
WSP Bellevue District 2 HQ	12/31/2005	146	45,909	6,705,923	3	Bellevue	98007
WSP Bremerton District 8 HQ	12/31/2005	106	12,000	1,266,603		Bremerton	98312
WSP Cheney Crime Lab	4/30/2010	387	34,765	13,439,829		Cheney	99004
WSP FTA Administration Building	12/31/2009	84	2,240			Northbend	98068
WSP FTA ARFF Control Building	12/31/2009	84	8,500			Northbend	98068
WSP FTA ARFF Treatment Building	12/31/2009	84	1,696			Northbend	98068
WSP FTA Burn Building	12/31/2009	84	14,656			Northbend	98068
WSP FTA Classroom 1	12/31/2009	84	1,152			Northbend	98068
WSP FTA Classroom 2	12/31/2009	84	1,152			Northbend	98068
WSP FTA Classroom 3	12/31/2009	84	2,304			Northbend	98068
WSP FTA Dining Hall	12/31/2009	84	1,310			Northbend	98068
WSP FTA Domestic Water Building	12/31/2009	84	1,320			Northbend	98068
WSP FTA Hazmat Building	12/31/2009	84	7,640			Northbend	98068
WSP FTA Instructor Dormitory	12/31/2009	84	864			Northbend	98068
WSP FTA Instructor Resource Building	12/31/2009	84	1,536			Northbend	98068
WSP FTA Maintenance Building	12/31/2009	84	7,840			Northbend	98068
WSP FTA Pole Support Building	12/31/2009	84	3,200			Northbend	98068
WSP FTA Pump House	12/31/2009	84	1,320			Northbend	98068
WSP FTA Ship Prop	12/31/2009	84	6,402			Northbend	98068
WSP FTA Student Dormitory	12/31/2009	84	9,484			Northbend	98068
WSP FTA Support Building	12/31/2009	84	616			Northbend	98068
WSP FTA WWTF Building	12/31/2009	84	1,836			Northbend	98068
WSP Fire Training Academy Campus (FTA)		84	75,068	6,328,362			
WSP Marysville District 7 HQ Building	12/31/2009	375	10,010			Marysville	98271
WSP Marysville District 7 VIN Building	12/31/2009	375	1,920			Marysville	98271
WSP Marysville District 7 Campus		375	11,930	4,475,249			
WSP Property Management Division Facilities Section	12/31/2005	75	23,680		86	Olympia	98504
WSP Property Management Division Fleet Section	12/31/2005	75	22,400			Olympia	98504
WSP Property Management Division Supply Section	12/31/2005	75	21,291		95	Olympia	98504

Facility Name	Current Energy Period Ending Date	Current Site Energy Intensity (kBtu/Sq. Ft.)	Total Floor Space (Sq. Ft.)	Current Total Site Energy Use (kBtu)	Current Rating	City	ZIP Code
					(1-100)		
WSP Property Management Division Campus		75	67,371	5,070,017			
WSP Spokane District 4 HQ Building	12/31/2005	125	12,258		88	Spokane	99224
WSP Spokane District 4 VIN	12/31/2005	125	5,209			Spokane	99224
WSP Spokane District 4 HQ Campus		125	17,467	2,178,000			
WSP State Patrol Academy Administration Building	12/31/2009	37	7,945	290,500	100	Shelton	98584
WSP State Patrol Academy Auto Shop	12/31/2009	106	2,000	212,500		Shelton	98584
WSP State Patrol Academy Canine Classroom Building	12/31/2009	33	1,440	46,961		Shelton	98584
WSP State Patrol Academy Classroom	12/31/2009	39	6,388	250,300		Shelton	98584
WSP State Patrol Academy Dining Hall	12/31/2009	109	6,369	695,100		Shelton	98584
WSP State Patrol Academy Dog Training Building	12/31/2009		1,440			Shelton	98584
WSP State Patrol Academy Dormitory C	12/31/2009	66	6,741	445,000	98	Shelton	98584
WSP State Patrol Academy Dormitory D	12/31/2009	60	6,741	405,900	100	Shelton	98584
WSP State Patrol Academy Dormitory E	12/31/2009	44	6,741	294,600	100	Shelton	98584
WSP State Patrol Academy Firing Range	12/31/2009	71	520	36,914		Shelton	98584
WSP State Patrol Academy Maintenance Shop	12/31/2009		1,500			Shelton	98584
WSP State Patrol Academy Multipurpose Building	12/31/2009	100	15,000	1,500,500		Shelton	98584
WSP State Patrol Academy -- not submetered	12/31/2009			61,800		Shelton	98584
WSP State Patrol Academy Campus		68	62,825	4,240,075			
WSP Tacoma District 1 HQ Building	2/28/2010	123	42,087			Tacoma	98445
WSP Tacoma District 1 VIN Building	2/28/2010	123	7,160			Tacoma	98445
WSP Tacoma District 1 HQ Campus		123	49,247	6,052,467			
WSP Vancouver Crime Lab	12/31/2009	213	35,356	7,520,304		Vancouver	98660
WSP Wenatchee District 6 HQ	12/31/2005	129	15,691	2,017,993		Wenatchee	98801
WSP Yakima District 3 HQ Building	12/31/2005	148	23,760	3,522,229	6	Union Gap	98903
WSP Yakima District 3 Storage Building	12/31/2005		3,215			Union Gap	98903
WSP Yakima District 3 HQ Campus		148	26,975	3,522,229			
Total Washington State Patrol		148	454,604	67,057,126			

Some rated buidlings have very high or very low scores, which will be reviewed.