

Internet Explorer 6.0 Browser Settings

Tools / Internet Options


General tab:

- Browsing History section / Settings button:
- Check for newer version of stored pages : Every time I visit the webpage
- Click 'OK'

NOTE: This setting ensures that data is refreshed from the database each time you access a webpage.

Security tab:

- Click on 'Trusted Sites',
- Click Sites
 - Uncheck the "Require server verification for all sites in this zone.
 - Add the following sites to this zone:
 - <https://secure.neogov.com>
 - <http://www.governmentjobs.com>
 - <http://agency.governmentjobs.com>
 - <https://training.neogov.com>



- Click Close
- Click Custom Level and select the following settings.

 .NET Framework-reliant components

 Run components not signed with Authenticode

- Disable
- Enable
- Prompt

 Run components signed with Authenticode

- Disable
- Enable
- Prompt

 ActiveX controls and plug-ins

 Automatic prompting for ActiveX controls

- Disable
- Enable

 Binary and script behaviors

- Administrator approved
- Disable
- Enable

 Download signed ActiveX controls

- Disable
- Enable
- Prompt

 Download unsigned ActiveX controls

- Disable
- Enable
- Prompt

 Initialize and script ActiveX controls not marked as safe

- Disable
- Enable
- Prompt

 Run ActiveX controls and plug-ins

- Administrator approved
- Disable
- Enable
- Prompt

 Script ActiveX controls marked safe for scripting

- Disable
- Enable
- Prompt

 Downloads

 Automatic prompting for file downloads

- Disable
- Enable

 File download

- Disable
- Enable

 Font download

- Disable
- Enable
- Prompt

 Miscellaneous

 Access data sources across domains

- Disable
- Enable
- Prompt

 Allow META REFRESH

- Disable
- Enable

 Allow scripting of Internet Explorer Webbrowser controls

- Disable
- Enable

 Allow script-initiated windows without size or position constraints

- Disable
- Enable

 Allow Web pages to use restricted protocols for activeX controls

- Disable
- Enable
- Prompt

 Display mixed content

- Disable
- Enable
- Prompt

 Don't prompt for client certificate selection when no certificate is available

- Disable
- Enable

 Drag and drop or copy and paste files

- Disable
- Enable
- Prompt

 Installation of desktop items

- Disable
- Enable
- Prompt

 Launching programs and files in an IFRAME

- Disable
- Enable
- Prompt

 Navigate sub-frames across different domains

- Disable
- Enable
- Prompt

 Open files based on content, not file extension

- Disable
- Enable

 Software channel permissions

- High safety
- Low safety
- Medium safety

 Submit nonencrypted form data

- Disable
- Enable
- Prompt

 Use Pop-up Blocker

- Disable
- Enable

-  Userdata persistence
 - Disable
 - Enable
-  Web sites in less privileged web content zone can navi
 - Disable
 - Enable
 - Prompt
-  Scripting
 -  Active scripting
 - Disable
 - Enable
 - Prompt
 -  Allow paste operations via script
 - Disable
 - Enable
 - Prompt
 -  Scripting of Java applets
 - Disable
 - Enable
 - Prompt
-  User Authentication
 -  Logon
 - Anonymous logon
 - Automatic logon only in Intranet zone
 - Automatic logon with current username and passw
 - Prompt for user name and password

- When asked 'Are you sure you want to change settings for this zone?', click 'OK'
- Click 'Close'

Privacy tab:

- Under Settings, select the 'Advanced' button.
- Check the 'Override automatic cookie handling' checkbox
- First-Party cookies: 'Accept'
- Third-Party cookies: 'Accept'
- Check 'Always allow session cookies'

NOTE: This setting prevents problems with users being kicked out to the login page in the middle of an Insight session.

- Under Pop-Up Blocker, Uncheck the 'Turn on Pop-up Blocker' box
- Click 'OK'

Content tab:

- Under Content Advisor, if there is a button labeled 'Disable', select it and enter the required password you previously established for the Content Advisor.

NOTE: Content Advisor when enabled prevents users from completing the online application process through GovernmentJobs.com or a NEOGOV customer's 'Powered by NEOGOV' pages. When Content Advisor is enabled,

applicants are typically kicked out of the steps of the application process back to the main menu. The system loses track of the applicant's session and which job they are attempting to apply for.

Advanced tab:

-  Accessibility
 - Always expand ALT text for images
 - Move system caret with focus/selection changes
-  Browsing
 - Always send URLs as UTF-8 (requires restart)
 - Automatically check for Internet Explorer updates
 - Close unused folders in History and Favorites (requires restart)
 - Disable Script Debugging (Internet Explorer)
 - Disable Script Debugging (Other)
 - Display a notification about every script error
 - Enable folder view for FTP sites
 - Enable Install On Demand (Internet Explorer)
 - Enable Install On Demand (Other)
 - Enable offline items to be synchronized on a schedule
 - Enable page transitions
 - Enable Personalized Favorites Menu
 - Enable third-party browser extensions (requires restart)
 - Enable visual styles on buttons and controls in web pages
 - Force offscreen compositing even under Terminal Server (req
 - Notify when downloads complete
 - Reuse windows for launching shortcuts
 - Show friendly HTTP error messages
 - Show friendly URLs
 - Show Go button in Address bar
-  Underline links
 - Always
 - Hover
 - Never
- Use inline AutoComplete
- Use Passive FTP (for firewall and DSL modem compatibility)
- Use smooth scrolling
-  HTTP 1.1 settings
 - Use HTTP 1.1
 - Use HTTP 1.1 through proxy connections
-  Multimedia
 - Enable Automatic Image Resizing
 - Enable Image Toolbar (requires restart)
 - Play animations in web pages
 - Play sounds in web pages
 - Play videos in web pages
 - Show image download placeholders
 - Show pictures
 - Smart image dithering

-  Printing
- Print background colors and images
-  Search from the Address bar
-  When searching
- Display results, and go to the most likely site
 - Do not search from the Address bar
 - Just display the results in the main window
 - Just go to the most likely site
-  Security
- Allow active content from CDs to run on My Computer
 - Allow active content to run in files on My Computer
 - Allow software to run or install even if the signature is invalid
 - Check for publisher's certificate revocation
 - Check for server certificate revocation (requires restart)
 - Check for signatures on downloaded programs
 - Do not save encrypted pages to disk
 - Empty Temporary Internet Files folder when browser is closed
 - Enable Integrated Windows Authentication (requires restart)
 - Enable Profile Assistant
 - Use SSL 2.0
 - Use SSL 3.0
 - Use TLS 1.0
 - Warn about invalid site certificates
 - Warn if changing between secure and not secure mode
 - Warn if forms submittal is being redirected

- Ensure settings match those in the images above, then click 'OK'

NOTE: After making these changes, close Internet Explorer and reopen so that all changes can take effect.

Internet Explorer 7.0 Browser Settings

Tools / Internet Options


General tab:

- Browsing History section / Settings button:
- Check for newer version of stored pages : Every time I visit the webpage
- Click 'OK'

NOTE: This setting ensures that data is refreshed from the database each time you access a webpage.

Security tab:

- Click on 'Trusted Sites',
- Click Sites
 - Uncheck the "Require server verification for all sites in this zone.
 - Add the following sites to this zone:
 - <https://secure.neogov.com>
 - <http://www.governmentjobs.com>
 - <http://agency.governmentjobs.com>
 - <https://training.neogov.com>



- Click Close
- Click Custom Level and select the following settings.

-  **NET Framework**
 -  Loose XAML
 - Disable
 - Enable
 - Prompt
 -  XAML browser applications
 - Disable
 - Enable
 - Prompt
 -  XPS documents
 - Disable
 - Enable
 - Prompt
-  **.NET Framework-reliant components**
 -  Permissions for components with manifests
 - Disable
 - High Safety
 -  Run components not signed with Authenticode
 - Disable
 - Enable
 - Prompt
 -  Run components signed with Authenticode
 - Disable
 - Enable
 - Prompt
-  **ActiveX controls and plug-ins**
 -  Allow previously unused ActiveX controls to run without prorr
 - Disable
 - Enable
 -  Allow Scriptlets
 - Disable
 - Enable
 - Prompt
 -  Automatic prompting for ActiveX controls
 - Disable
 - Enable
 -  Binary and script behaviors
 - Administrator approved
 - Disable
 - Enable
 -  Display video and animation on a webpage that does not use
 - Disable
 - Enable
 -  Download signed ActiveX controls
 - Disable
 - Enable
 - Prompt
 -  Download unsigned ActiveX controls
 - Disable
 - Enable
 - Prompt
 -  Initialize and script ActiveX controls not marked as safe for s
 - Disable
 - Enable
 - Prompt

 Run ActiveX controls and plug-ins

- Administrator approved
- Disable
- Enable

 Script ActiveX controls marked safe for scripting*

- Disable
- Enable
- Prompt

 Downloads

 Automatic prompting for file downloads

- Disable
- Enable

 File download

- Disable
- Enable

 Font download

- Disable
- Enable
- Prompt

 Enable .NET Framework setup

- Disable
- Enable

 Miscellaneous

 Access data sources across domains

- Disable
- Enable
- Prompt

 Allow META REFRESH

- Disable
- Enable

 Allow scripting of Internet Explorer web browser control

- Disable
- Enable

 Allow script-initiated windows without size or position constraints

- Disable
- Enable

 Allow webpages to use restricted protocols for active content

- Disable
- Enable
- Prompt


 Allow websites to open windows without address or status bar

- Disable
- Enable

 Display mixed content

- Disable
- Enable
- Prompt

-  Don't prompt for client certificate selection when no certifica
 - Disable
 - Enable
-  Drag and drop or copy and paste files
 - Disable
 - Enable
 - Prompt
-  Include local directory path when uploading files to a server
 - Disable
 - Enable
-  Installation of desktop items
 - Disable
 - Enable
 - Prompt
-  Launching applications and unsafe files
 - Disable
 - Enable
 - Prompt
-  Launching programs and files in an IFRAME
 - Disable
 - Enable
 - Prompt
-  Navigate sub-frames across different domains
 - Disable
 - Enable
 - Prompt
-  Open files based on content, not file extension
 - Disable
 - Enable
-  Software channel permissions
 - High safety
 - Low safety
 - Medium safety
-  Submit non-encrypted form data
 - Disable
 - Enable
 - Prompt
-  Use Phishing Filter
 - Disable
 - Enable
-  Use Pop-up Blocker
 - Disable
 - Enable
-  Userdata persistence
 - Disable
 - Enable
-  Websites in less privileged web content zone can navigate ir
 - Disable
 - Enable
 - Prompt



- When asked 'Are you sure you want to change settings for this zone?', click 'OK'
- Click 'Close'

Privacy tab:

- Under Settings, select the 'Advanced' button.
- Check the 'Override automatic cookie handling' checkbox
- First-Party cookies: 'Accept'
- Third-Party cookies: 'Accept'
- Check 'Always allow session cookies'

NOTE: This setting prevents problems with users being kicked out to the login page in the middle of an Insight session.

- Under Pop-Up Blocker, Uncheck the 'Turn on Pop-up Blocker' box
- Click 'OK'

Content tab:

- Under Content Advisor, if there is a button labeled 'Disable', select it and enter the required password you previously established for the Content Advisor.

NOTE: Content Advisor when enabled prevents users from completing the online application process through GovernmentJobs.com or a NEOGOV customer's 'Powered by NEOGOV' pages. When Content Advisor is enabled, applicants are typically kicked out of the steps of the application process back to

the main menu. The system loses track of the applicant's session and which job they are attempting to apply for.

Advanced tab:

-  **Accessibility**
 - Always expand ALT text for images
 - Move system caret with focus/selection changes
 - Reset text size to medium for new windows and tabs
 - Reset text size to medium while zooming*
 - Reset Zoom level to 100% for new windows and tabs
 -  **Browsing**
 - Close unused folders in History and Favorites*
 - Disable script debugging (Internet Explorer)
 - Disable script debugging (Other)
 - Display a notification about every script error
 - Enable FTP folder view (outside of Internet Explorer)
 - Enable page transitions
 - Enable personalized favorites menu
 - Enable third-party browser extensions*
 - Enable visual styles on buttons and controls in webpages
 - Enable websites to use the search pane*
 - Force offscreen compositing even under Terminal Server*
 - Notify when downloads complete
 - Reuse windows for launching shortcuts (when tabbed bro
 - Show friendly HTTP error messages
 -  **Underline links**
 - Always
 - Hover
 - Never
 - Use inline AutoComplete
 - Use most recent order when switching tabs with Ctrl+Tab
 - Use Passive FTP (for firewall and DSL modem compatibility)
 - Use smooth scrolling
-  **HTTP 1.1 settings**
 - Use HTTP 1.1
 - Use HTTP 1.1 through proxy connections
-  **International***
 - Always show encoded addresses
 - Send IDN server names
 - Send IDN server names for Intranet addresses
 - Send UTF-8 URLs
 - Show Information Bar for encoded addresses
 - Use UTF-8 for mailto links
-  **Java (Sun)**
 - Use JRE 1.6.0 for <applet> (requires restart)
-  **Multimedia**
 - Always use ClearType for HTML*
 - Enable automatic image resizing
 - Play animations in webpages*
 - Play sounds in webpages
 - Show image download placeholders
 - Show pictures
 - Smart image dithering

-  Printing
 - Print background colors and images
-  Search from the Address bar
 - Do not search from the Address bar
 - Just display the results in the main window
-  Security
 - Allow active content from CDs to run on My Computer*
 - Allow active content to run in files on My Computer*
 - Allow software to run or install even if the signature is inv.
 - Check for publisher's certificate revocation
 - Check for server certificate revocation*
 - Check for signatures on downloaded programs
 - Do not save encrypted pages to disk
 - Empty Temporary Internet Files folder when browser is cl
 - Enable Integrated Windows Authentication*
 - Enable memory protection to help mitigate online attacks
 - Enable native XMLHTTP support
-  Phishing Filter
 - Disable Phishing Filter
 - Turn off automatic website checking
 - Turn on automatic website checking
- Use SSL 2.0
- Use SSL 3.0
- Use TLS 1.0
- Warn about certificate address mismatch*
- Warn if changing between secure and not secure mode
- Warn if POST submittal is redirected to a zone that does n

- Ensure settings match those in the images above, then click 'OK'

NOTE: After making these changes, close Internet Explorer and reopen so that all changes can take effect.

Internet Explorer 8.0 Browser Settings

Tools / Internet Options


General tab:

- Browsing History section / Settings button:
- Check for newer version of stored pages : Every time I visit the webpage
- Click 'OK'

NOTE: This setting ensures that data is refreshed from the database each time you access a webpage.

Security tab:

- Click on 'Trusted Sites',
- Click Sites
 - Uncheck the "Require server verification for all sites in this zone.
 - Add the following sites to this zone:
 - <https://secure.neogov.com>
 - <http://www.governmentjobs.com>
 - <http://agency.governmentjobs.com>
 - <https://training.neogov.com>




- Click Close
- Click Custom Level and select the following settings.

-  **.NET Framework**
 -  Loose XAML
 - Disable
 - Enable
 - Prompt
 -  XAML browser applications
 - Disable
 - Enable
 - Prompt
 -  XPS documents
 - Disable
 - Enable
 - Prompt
-  **.NET Framework-reliant components**
 -  Permissions for components with manifests
 - Disable
 - High Safety
 -  Run components not signed with Authenticode
 - Disable
 - Enable
 - Prompt
 -  Run components signed with Authenticode
 - Disable
 - Enable
 - Prompt
-  **ActiveX controls and plug-ins**
 -  Permissions for components with manifests
 - Disable
 - Enable
 -  Allow Scriptlets
 - Disable
 - Enable
 - Prompt
 -  Automatic prompting for ActiveX controls
 - Disable
 - Enable
 -  Binary and script behaviors
 - Administrator approved
 - Disable
 - Enable
 -  Display video and animation on a webpage that does not use 
 - Disable
 - Enable
 -  Download signed ActiveX controls
 - Disable
 - Enable (not secure)
 - Prompt (recommended)
 -  Download unsigned ActiveX controls
 - Disable (recommended)
 - Enable (not secure)
 - Prompt
 -  Initialize and script ActiveX controls not marked as safe for s
 - Disable (recommended)
 - Enable (not secure)
 - Prompt

- Only allow approved domains to use ActiveX without prompt
 - Disable
 - Enable
- Run ActiveX controls and plug-ins
 - Administrator approved
 - Disable
 - Enable
 - Prompt
- Script ActiveX controls marked safe for scripting*
 - Disable
 - Enable
 - Prompt
- Downloads
 - Automatic prompting for file downloads
 - Disable
 - Enable
 - File download
 - Disable
 - Enable
 - Font download
 - Disable
 - Enable
 - Prompt
- Enable .NET Framework setup
 - Disable
 - Enable
- Miscellaneous
 - Access data sources across domains
 - Disable
 - Enable
 - Prompt
 - Allow META REFRESH
 - Disable
 - Enable
 - Allow scripting of Microsoft web browser control
 - Disable
 - Enable
 - Permissions for components with manifests
 - Disable
 - Enable
 - Permissions for components with manifests
 - Disable
 - Enable
 - Prompt
 - Allow websites to open windows without address or status b
 - Disable
 - Enable
 - Display mixed content
 - Disable
 - Enable
 - Prompt

- Don't prompt for client certificate selection when no certificat
 - Disable
 - Enable
- Drag and drop or copy and paste files
 - Disable
 - Enable
 - Prompt
- Include local directory path when uploading files to a server
 - Disable
 - Enable
- Installation of desktop items
 - Disable
 - Enable (not secure)
 - Prompt (recommended)
- Launching applications and unsafe files
 - Disable
 - Enable (not secure)
 - Prompt (recommended)
- Launching programs and files in an IFRAME
 - Disable
 - Enable (not secure)
 - Prompt (recommended)
- Navigate windows and frames across different domains
 - Disable
 - Enable
 - Prompt
- Open files based on content, not file extension
 - Disable
 - Enable
- Submit non-encrypted form data
 - Disable
 - Enable
 - Prompt
- Use Pop-up Blocker
 - Disable
 - Enable
- Use SmartScreen Filter
 - Disable
 - Enable
- Userdata persistence
 - Disable
 - Enable
- Websites in less privileged web content zone can navigate in
 - Disable
 - Enable
 - Prompt



- When asked 'Are you sure you want to change settings for this zone?', click 'OK'
- Click 'Close'

Privacy tab:

- Under Settings, select the 'Advanced' button.
- Check the 'Override automatic cookie handling' checkbox
- First-Party cookies: 'Accept'
- Third-Party cookies: 'Accept'
- Check 'Always allow session cookies'

NOTE: This setting prevents problems with users being kicked out to the login page in the middle of an Insight session.

- Under Pop-Up Blocker, Uncheck the 'Turn on Pop-up Blocker' box
- Click 'OK'

Content tab:


- Under Content Advisor, if there is a button labeled 'Disable', select it and enter the required password you previously established for the Content Advisor.

NOTE: Content Advisor when enabled prevents users from completing the online application process through GovernmentJobs.com or a NEOGOV

customer's 'Powered by NEOGOV' pages. When Content Advisor is enabled, applicants are typically kicked out of the steps of the application process back to the main menu. The system loses track of the applicant's session and which job they are attempting to apply for.

Advanced tab:

-  **Accessibility**
 - Always expand ALT text for images
 - Enable Caret Browsing for new windows and tabs
 - Move system caret with focus/selection changes
 - Reset text size to medium for new windows and tabs
 - Reset text size to medium while zooming*
 - Reset zoom level for new windows and tabs
 -  **Browsing**
 - Automatically check for Internet Explorer updates
 - Automatically recover from page layout errors with Compa
 - Close unused folders in History and Favorites*
 - Disable script debugging (Internet Explorer)
 - Disable script debugging (Other)
 - Display a notification about every script error
 - Display Accelerator button on selection
 - Enable automatic crash recovery*
 - Enable FTP folder view (outside of Internet Explorer)
 - Enable page transitions
 - Enable Suggested Sites
 - Enable third-party browser extensions*
 - Enable visual styles on buttons and controls in webpages
 - Enable websites to use the search pane*
 - Force offscreen compositing even under Terminal Server*
 - Notify when downloads complete
 - Reuse windows for launching shortcuts (when tabbed bro
 - Show friendly HTTP error messages
 -  **Underline links**
 - Always
 - Hover
 - Never
 - Use inline AutoComplete (outside of Internet Explorer)
 - Use most recent order when switching tabs with Ctrl+Tab
 - Disable script debugging (Internet Explorer)
 - Use smooth scrolling
-  **HTTP 1.1 settings**
 - Use HTTP 1.1
 - Use HTTP 1.1 through proxy connections
-  **International***
 - Always show encoded addresses
 - Send IDN server names
 - Send IDN server names for Intranet addresses
 - Send UTF-8 URLs
 - Show Information Bar for encoded addresses
 - Use UTF-8 for mailto links



- Ensure settings match those in the images above, then click 'OK'

NOTE: After making these changes, close Internet Explorer and reopen so that all changes can take effect.